

Daten aktuell ab: 18-04-2026 23:21

Produkt-Link: <https://cncworld.de/dz-acryl-grundierung-fr-uv-drucker-p-934.html>



DZ Acryl Grundierung für UV Drucker

Bruttopreis	129.00 €
Nettopreis	108.40 €
Bisheriger Preis	149.00 €
Verfügbarkeit	Verfügbar
Lieferzeit	48 Stunden
Katalognummer	009INK
Code des Herstellers	X1

Produktbeschreibung

Grundierungsflüssigkeit DZ für Acryl für UV-Drucker



CNCWORLD

**UV Primer DZ Pre-coating liquid
for Acrylic 1000ml**

Lot no.: 2508T0441

Compatible printheads:

DX5 | DX7 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390

CAUTIONS:

Warning: For industrial use. Causes skin and eye irritation. May cause an allergic skin reaction.
Personal Protective Equipment (PPE):
- Always wear safety glasses or a face shield. Direct contact can cause serious and permanent eye damage.
- Always use chemical-resistant protective gloves (e.g., nitrile, Viton) as a strong precaution.
Safe handling:
- Work in a well-ventilated area, avoid inhaling vapors.
- Do NOT touch the skin with bare skin. In case of contact, immediately wash skin with soap and water.
- Keep away from fire and heat sources.
First Aid:
- Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.
- Skin Contact: Remove contaminated clothing and wash skin with soap and water.
- Inhalation: Move the affected person to fresh air.
Storage and disposal:
- Store in a tightly sealed container in a cool, dark, and dry place, away from sunlight.
- Dispose of the end-user containers in accordance with local chemical waste regulations.



Die Grundierungsflüssigkeit für Acryl (UV Primer) ist ein spezielles chemisches Mittel, das als **Haftvermittler** zwischen der Materialoberfläche und der UV-Tinte dient. Sie ist ein entscheidendes Element im UV-Druckprozess auf schwierigen Untergründen.

Sie verstärkt die Verbindung der Tinte mit synthetischen Oberflächen und erhöht deren **Elastizität und Beständigkeit** gegen Kratzer, was besonders bei der Herstellung von Werbeartikeln und Schildern wichtig ist.

Haltbarkeit: mindestens 6 Monate

Kompatible Druckköpfe: DX5 | DX7 | DX8 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390