

Daten aktuell ab: 03-06-2026 01:42

Produkt-Link: <https://cncworld.de/dz-acryl-grundierung-fr-uv-drucker-p-934.html>



DZ Acryl Grundierung für UV Drucker

Bruttopreis	129.00 €
Nettopreis	108.40 €
Bisheriger Preis	149.00 €
Verfügbarkeit	Verfügbar
Lieferzeit	48 Stunden
Katalognummer	009INK
Code des Herstellers	X1

Produktbeschreibung

Grundierungsflüssigkeit DZ für Acryl für UV-Drucker



CNCWORLD

**UV Primer DZ Pre-coating liquid
for Acrylic 1000ml**

Lot no.: 2508T0441

Compatible printheads:

DX5 | DX7 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390

CAUTIONS:

- Warning: For industrial use. Causes skin and eye irritation. May cause an allergic skin reaction.
- Personal Protective Equipment (PPE):
 - Always wear safety glasses or a face shield. Direct contact can cause serious and permanent eye damage.
 - Always use chemical-resistant protective gloves (e.g., nitrile, Viton) as a strong precaution.
- Safe handling:
 - Work in a well-ventilated area, avoid inhaling vapors.
 - Do NOT touch the skin with bare skin. In case of contact, immediately wash skin with soap and water.
 - Rinse away from face and head area.
- First Aid:
 - Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.
 - Skin Contact: Remove contaminated clothing and wash skin with soap and water.
 - Inhalation: Move the affected person to fresh air.
- Storage and disposal:
 - Store in a tightly sealed container in a cool, dark, and dry place, away from sunlight.
 - Dispose of the end-user containers in accordance with local chemical waste regulations.



Die Grundierungsflüssigkeit für Acryl (UV Primer) ist ein spezielles chemisches Mittel, das als **Haftvermittler** zwischen der Materialoberfläche und der UV-Tinte dient. Sie ist ein entscheidendes Element im UV-Druckprozess auf schwierigen Untergründen.

Sie verstärkt die Verbindung der Tinte mit synthetischen Oberflächen und erhöht deren **Elastizität und Beständigkeit** gegen Kratzer, was besonders bei der Herstellung von Werbeartikeln und Schildern wichtig ist.

Haltbarkeit: mindestens 6 Monate

Kompatible Druckköpfe: DX5 | DX7 | DX8 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390